

INVITATION TO BID							
SEALED BIDS will be received by the PURCHASING DIVISION of the CITY OF BATON ROUGE, EAST BATON ROUGE PARISH until 11:00 am CST, February 13, 2023 at the location shown below.							
TITLE: M14367 Vehicle Extrication Equipment				RETURN BID TO: PURCHASING DIVISION <u>Physical Address:</u> 222 St. Louis Street 8 th Floor Room 826 Baton Rouge, LA 70802 **NOTE: U.S. Postal Regular & Expedited Mail do not deliver to our physical address; delays may occur due to City Parish Mailroom processing			
FILE NO: 23-14367 AD DATES: 01.27.2023 & 02.03.2023							
SHIP TO ADDRESS: Brownsfield Fire Department 11420 Plank Road Baton Rouge, LA 70811				Contact Regarding Inquiries: Purchasing Analyst : Tian Clark Telephone Number: 225-389-3259 x 3271 Email: tmclark@brla.gov			
VENDOR NAME				MAILING ADDRESS			
REMIT TO ADDRESS				CITY, STATE, ZIP			
TELEPHONE NO.		FAX NO.		E-MAIL			
FEDERAL TAX ID OR SOCIAL SECURITY NUMBER				TITLE			
AUTHORIZED SIGNATURE (Required)				PRINTED NAME			
TO BE COMPLETED BY VENDOR: CONTRACTORS LICENSE IF APPLICABLE 1. _____ STATE DELIVERY DAYS MAXIMUM AFTER RECEIPT OF ORDER. 2. _____ % discount for payment made within 30 days. Discount for payment made in less than 30 days, or less than 1%, or applicable to an indefinite quantity contract will be accepted but not an award consideration.							
Bidders should acknowledge all addenda and the date received. The Bidder acknowledges receipt of the following issued ADDENDA							
No.	Date:	No.	Date:	No.	Date:	No.	Date:
No.	Date:	No.	Date:	No.	Date:	No.	Date:

F.O.B.: DESTINATION - PAYMENT TERMS: NET 30
 ALL BLANKS ON THIS PAGE SHOULD BE COMPLETED TO AVOID REJECTION OF BID

The signature on this document certifies that proposer has carefully examined the instructions to bidders, terms and specifications applicable to, and made a part of this solicitation. By submission of this document, proposer further certifies that the prices shown are in full compliance with the conditions, terms and specifications of this solicitation. Bid must be signed in the designated space above and by person authorized to sign for bidder.

No alterations, changes or additions are allowed on this solicitation, and no additional information, clarifications or other documents are to be included unless specifically required by the specification. Any errors in extensions of prices will be resolved in favor of unit prices submitted.

If services are to be performed in East Baton Rouge City-Parish, evidence of a current occupational license and/or permit issued by the City-Parish shall be supplied by the successful vendor, if applicable.

INSTRUCTIONS TO BIDDERS / TERMS & CONDITIONS - SEALED BIDS

Bidders are urged to promptly review the requirements of this specification and submit questions for resolution as early as possible during the bid period. Questions or concerns must be submitted in writing to the purchasing division during the bid period. Otherwise, this will be construed as acceptance by the bidders that the intent of the specifications is clear and that competitive bids may be obtained as specified herein. Protests with regard to the specification documents will not be considered after bids are opened.

1. Read the entire bid, including all terms and conditions and specifications.
2. Bids are mailed only as a courtesy. The City - Parish does not assume responsibility for failure of bidders to receive bids. Bidders should rely only on advertisements in the local newspaper, and should personally pick up bids and specifications. Full information may be obtained, or any questions answered, by contacting the Purchasing Division, 222 Saint Louis Street, 8th Floor, Room 826, Baton Rouge, LA 70802 or by calling (225) 389-3259.
3. The bid number, bidder's name, address and bid opening date should be clearly printed or typed on the outside of the bid envelope. Only one bid will be accepted from each bidder for the same job. Alternates will not be accepted unless specifically requested in the proposal. Submission of more than one bid or alternates not requested may be grounds for rejection of all bids by the bidder.
4. The method of delivery of bids is the responsibility of the bidder. All bids must be received by the Purchasing Division on or before the specified bid opening date and time. Late bids will not be considered under any circumstances.
5. Failure to deliver within the time specified in the bid will constitute a default and may cause cancellation of the contract. Where the city has determined the contractor to be in default, the city reserves right to purchase any or all products or services covered by the contract on the open market and to charge the contractor with cost in excess of the contract price. Until such assessed charges have been paid, no subsequent bid from the defaulting contractor will be considered.
6. The City Parish specifically reserves the right to evaluate bids and award items separately, grouped or on an all or none basis, to accept the bid which is in the best interest of the City parish, and to reject all proposals if that is in the best interest of the City Parish.
7. Except for bids submitted through the www.centralauctionhouse.com on-line bidding site, bids shall be accepted only on proposal forms furnished by the City of Baton Rouge and Parish of East Baton Rouge Purchasing Division. Altered or incomplete bids (including non-acknowledgement of addenda issued, if any), or the use of substitute forms or documents, shall render the bid non-responsive and subject to rejection.
8. All bids must be typed or written in ink. Any erasures, strikeover and/or changes to prices should be initialed by the bidder. Failure to initial may be cause for rejection of the bid as non-responsive.
9. All bids must be manually signed by a properly authorized party. Failure to do so shall cause the bid to be rejected as non-responsive.
10. Where one or more vendor's exact products or typical workmanship is designated as the level of quality desired or equivalent, the Purchasing Division reserves the right to determine the acceptability of any equivalent offered.
11. Detailed factory specifications, illustrative literature and any deviations should be submitted with bid as required by the specifications or on the bid form. Representative samples shall be submitted upon request, if appropriate. Bidders proposing an equivalent brand or model should submit with the bid information (such as illustrations, descriptive literature, and technical data) sufficient for the City to evaluate quality, suitability, and compliance with the specifications in the solicitation.

12. Written addenda issued prior to bid opening which modifies the bid shall become a part of the bid, and shall be incorporated within the purchase order and/or contract. Only a written interpretation or correction by Addendum shall be binding. Bidders shall not rely upon any interpretation or correction given by any other method. Failure to acknowledge receipt of addenda (if any) shall render the bid non-responsive and subject to rejection.
13. For Printing solicitations, artwork, dies and/or molds shall become the property of the City - Parish Government and must be returned to the Purchasing Division, 222 Saint Louis Street, 8th Floor, Room 826, Baton Rouge, LA 70802, upon completion of the order.
14. All applicable chemicals, herbicides, pesticides and hazardous materials must be registered for sale in Louisiana by the Department of Agriculture, State of Louisiana, registered with the EPA and must meet all requirements of Louisiana State Laws. Bidders must submit product label, material safety data sheet and EPA registry number with bid. This information will be required on any subsequent deliveries if there is a change in chemical content or a different product is being supplied. Failure to submit this data may be cause for the bid to be rejected or the contract canceled.
15. Delivery of items must be made on time to City - Parish final destinations within East Baton Rouge Parish. All freight charges shall be prepaid by vendor. Late deliveries or unsatisfactory performance may be cause to cancel the Purchase Order or contract.
16. The State of Louisiana Code of Governmental Ethics places restrictions on awarding contracts or purchase orders to persons who are employed by any agency of the City - Parish Government, or any business of which he or his spouse has more than a twenty-five percent (25%) interest. The Code also prescribes other restrictions against conflict of interest and establishes guidelines to assure that appropriate ethical standards are followed. If any question exists regarding potential violation of the Code of Ethics, bidders should contact the Purchasing Division prior to submission of the bid. Any violation of the Code of Ethics shall be grounds for disqualification of bid or cancellation of contract.
17. All Prices bid shall remain in effect for a period of at least sixty (60) days. City - Parish purchases are excluded from state and local taxes.
18. Acceptance of award by vendor, either in writing or by shipment of any article described herein, shall effectuate a contract between City - Parish and vendor for the materials described herein, and no additional conditions or amendments shall have any effect unless approved in writing by City - Parish.
19. Bidders may attend the bid opening, but no information or opinions concerning the ultimate contract award will be given at the bid opening or during the evaluation process. Information pertaining to completed files may be secured by visiting the EBR City Parish Purchasing office during normal working hours.
20. The City - Parish is an equal opportunity employer, and does not discriminate against anyone on the basis of race, sex, creed, color, religion, national origin, ancestry, reprisal, disability, sexual orientation, marital status or political affiliation.
21. In accordance with Louisiana Revised Statutes, a preference may be allowed for equivalent products produced, manufactured or grown in Louisiana and/or firms doing business in the State of Louisiana. Do you claim this preference if allowed? YES ____ NO _____. If this preference is claimed, attach substantiating information to the proposal to show the basis for the claim.
22. Right To Audit Clause: The Contractor shall permit the authorized representative of the City-Parish to periodically inspect and audit all data and records of the Contractor relating to his performance under this contract.

23. Terms and Conditions: This solicitation contains all terms and conditions with respect to the purchase of the goods and/or services specified herein. Submittal of any contrary terms and conditions may cause your bid to be rejected. By signing and submitting a bid, vendor agrees that contrary terms and conditions which may be included in their bid are nullified; and agrees that this contract shall be construed in accordance with this solicitation and governed by the laws of the State of Louisiana as required by Louisiana Law.
24. In accordance with the provisions of LA. R.S. 38:2212.9, in awarding contracts after August 15, 2010, any public entity is authorized to reject the lowest bid from, or not award the contract to, a business in which any individual with an ownership interest of five percent or more has been convicted of, or has entered a plea of guilty or ***Nolo Contendere*** to any state felony crime or equivalent federal felony crime committed in the solicitation or execution of a contract or bid awarded under the laws governing public contracts under the provisions of Chapter 10 of this Title, professional, personal, consulting, and social services procurement under the provisions of Chapter 16 of Title 39 of the Louisiana Revised Statutes of 1950, or the Louisiana Procurement Code under the provisions of Chapter 17 of Title 39 of the Louisiana Revised Statutes of 1950.
25. Certification of no suspension or debarment. By signing and submitting any bid for \$25,000 or more, the bidder certifies that their company, any subcontractors, or principals are not suspended or debarred by the general services administration (GSA) in "Audit Requirements In subpart F of the Office of Management and Budget's uniform administrative requirements, cost principles, and audit requirements for federal awards" (Formerly OMB circular a-133).
- A list of parties who have been suspended or debarred can be viewed via the internet at <http://www.sam.gov>.
26. Bid prices shall include delivery of all items F.O.B. destination or as otherwise provided. Bids containing "Payment in Advance" or "C.O.D. requirements may be rejected. Payment is to be made within 30 days after receipt of properly executed invoice or delivery, whichever is later.
27. Bidders may attend the bid opening, but no information or opinions concerning the ultimate contract award will be given at the bid opening or during the evaluation process. Bids may be examined within 72 hours after bid opening. Information pertaining to completed files may be secured by visiting the Purchasing Division during normal working hours. Written bid tabulations may be accessed at: <http://city.brla.gov/dept/purchase/bidresults.asp>.
28. Contractor agrees, upon receipt of written notice of a claim of a claim or action, to defend the claim or action, or take other appropriate measure, to indemnify, and hold harmless, the city, its agents and employees from and against all claims and actions for bodily injury, death or property damages caused by fault of the contractor, its officers, its agents, or its employees. Contractor is obligated to indemnify only to the extent of the fault of the contractor, its officers, its agents, or its employees, however the contractor shall have no obligation as set forth with respect to any claim or action from bodily injury, death or property damages arising out of the fault of the City, its officers, its agents, or its employees.
29. In accordance with Louisiana Law (R.S. 12:262.1 and 12:1308.2), all corporations and limited liability companies must be in good standing with the Louisiana Secretary of State at the time of execution of the contract.
30. Vendors submitting signed bids agree to EEOC compliance and certify that they agree to adhere to the mandates dictated by Title VI and VII of the Civil Right Act of 1964, as amended by the Equal Opportunity Act of 1972, Federal Executive Order 11246, the Federal Rehabilitation Act of 1973, as amended, the Vietnam Era Veteran's Readjustment Assistance Act of 1974, Title IX of the Education Amendments of 1972, the Age Act of 1975, and agrees to abide by the requirements of the Americans with Disabilities Act of 1990.

Bidders must agree to keep informed of and comply with all federal, state and local laws, ordinances and regulations which affect their employees or prospective employees.

31. The City of Baton Rouge, Parish of East Baton Rouge launched a new Enterprise Resource Planning (ERP) system, Vendor Self Service (VSS) via Munis. VSS replaced the legacy vendor database and will be used by all departments and agencies citywide.

Vendor Self-Service (VSS) enables vendors to register and maintain information about their organization for the purpose of doing business with City-Parish and receive notifications of business opportunities. The City-Parish procurement activities are subject to the State of Louisiana Public Bid Law, local city-parish ordinances as well as applicable federal statutes as directed by grant providers. Vendors must be registered to receive bid notifications.

New vendors or existing vendors who need to create a VSS account can do so clicking the Registration link at <http://brla.gov/vss>. Vendors are encouraged to review the step by step <https://www.brla.gov/DocumentCenter/View/4899/Vendor-Self-Service-Registration-Guide-PDF> before beginning the registration process which may be assessed at <https://www.brla.gov/DocumentCenter/View/4899/Vendor-Self-Service-Registration-Guide-PDF>.

Additional information regarding how to do business with EBR City-Parish is available at: <https://www.brla.gov/DocumentCenter/View/678>.

We also post our scheduled bid openings, as well as unofficial bid tabulations after the bids have opened at <http://city.brla.gov/dept/purchase/bids.asp>.

Note: Commodity codes are required for setting up your profile. These numbers tell us what commodities and services that you can provide. When agencies request products or services, our buyers pull directly from these numbers to send out solicitations, bids, and quotes. The first 3 numbers are the class numbers; the subclasses are two digit numbers that better describe the commodity or service. For questions regarding commodity codes, please contact purchasing at (225) 389-3259 Ext 0.

Important! - A W-9 Form is required in order to do business with City-Parish. Part of the online enrollment process requires you to upload a completed W-9 form. Please have the completed form in an electronic format so that you can submit it as part of the registration process. The W-9 form can be downloaded from the IRS website. We have created step by step directions on how to properly complete the W-9 Form.

1. Termination for Cause or Convenience; Suspension. CITY-PARISH may exercise any rights available under Louisiana law to terminate for cause upon the failure of the CONTRACTOR to comply with the terms and conditions of this AGREEMENT, provided that the CITY-PARISH shall give contractor written notice specifying contractor's failure and thirty (30) days to cure the defect.

CITY-PARISH may terminate the AGREEMENT at its convenience at any time for any or no reason by giving thirty (30) days written notice to CONTRACTOR.

Upon termination for cause or convenience, the CONTRACTOR shall be entitled to payment for deliverables in progress through the date of termination, to the extent work has been performed in accordance with the terms and/or conditions of this AGREEMENT or otherwise to the satisfaction of CITY-PARISH, as well as reasonable termination and demobilization costs.

Should the CITY-PARISH find it necessary to suspend the work for lack of funding or other circumstances beyond its control, this may be done by thirty (30) days written notice given by CITY-PARISH to that effect. If the AGREEMENT is suspended for more than thirty (30) consecutive calendar days, the CONTRACTOR shall be compensated for services performed prior to the notice of suspension. In addition, when work under the AGREEMENT resumes, the CONTRACTOR's compensation shall be equitably adjusted to provide for expenses incurred in the interruption and resumption of the CONTRACTOR's services.

2. Remedies. If any work performed by the CONTRACTOR fails to meet the requirements of the AGREEMENT, the CITY-PARISH may in its sole discretion:

3.
 - a. elect to have the CONTRACTOR re-perform or cause to be re-performed at the CONTRACTOR's sole expense, any of the work which failed to meet the requirements of the AGREEMENT;
 - b. hire another sub consultant to perform the work and deduct any additional costs incurred by CITY-PARISH as a result of substituting the Proposer from any amounts due to the CONTRACTOR; or
 - c. Pursue and obtain any and all other available legal or equitable remedies.

4. Equal Employment Opportunity. During the performance of this contract, the CONTRACTOR agrees as follows:

- a. The CONTRACTOR will not discriminate against any employee or applicant for employment because of race, color, religion, sex, sexual orientation, gender identity, or national origin. The CONTRACTOR will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, color, religion, sex, sexual orientation, gender identity, or national origin. Such action shall include, but not be limited to the following:

Employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The CONTRACTOR agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided setting forth the provisions of this nondiscrimination clause.

- b. The CONTRACTOR will, in all solicitations or advertisements for employees placed by or on behalf of the CONTRACTOR, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, sexual orientation, gender identity, or national origin.

- c. The CONTRACTOR will not discharge or in any other manner discriminate against any employee or applicant for employment because such employee or applicant has inquired about, discussed, or disclosed the compensation of the employee or applicant or another employee or applicant. This provision shall not apply to instances in which an employee who has access to the compensation information of other employees or applicants as a part of such employee's essential job functions discloses the compensation of such other employees or applicants to individuals who do not otherwise have access to such information, unless such disclosure is in response to a formal complaint or charge, in furtherance of an investigation, proceeding, hearing, or action, including an investigation conducted by the employer, or is consistent with the CONTRACTOR's legal duty to furnish information.
- d. The CONTRACTOR will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided advising the said labor union or workers' representatives of the CONTRACTOR's commitments under this section, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.
- e. The CONTRACTOR will comply with all provisions of Executive Order 11246 of September 24, 1965, and of the rules, regulations, and relevant orders of the Secretary of Labor.
- f. The CONTRACTOR will furnish all information and reports required by Executive Order 11246 of September 24, 1965, and by rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the administering agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.
- g. In the event of the CONTRACTOR's noncompliance with the nondiscrimination clauses of this contract or with any of the said rules, regulations, or orders, this contract may be canceled, terminated, or suspended in whole or in part and the CONTRACTOR may be declared ineligible for further Government contracts or federally assisted construction contracts in accordance with procedures authorized in Executive Order 11246 of September 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order 11246 of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.
- h. The CONTRACTOR will include the portion of the sentence immediately preceding paragraph (1) and the provisions of paragraphs (1) through (8) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to section 204 of Executive Order 11246 of September 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The CONTRACTOR will take such action with respect to any subcontract or purchase order as the administering agency may direct as a means of enforcing such provisions, including sanctions for noncompliance:

Provided, however, that in the event a contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction by the administering agency, The CONTRACTOR may request the United States to enter into such litigation to protect the interests of the United States.

The applicant further agrees that it will be bound by the above equal opportunity clause with respect to its own employment practices when it participates in federally assisted construction work: Provided, that if the applicant so participating is a State or local government, the above equal opportunity clause is not applicable to any agency, instrumentality or subdivision of such government which does not participate in work on or under the contract.

The applicant agrees that it will assist and cooperate actively with the administering agency and the Secretary of Labor in obtaining the compliance of contractors and subcontractors with the equal opportunity clause and the rules, regulations, and relevant orders of the Secretary of Labor, that it will furnish the administering agency and the Secretary of Labor such information as they may require for the supervision of such compliance, and that it will otherwise assist the administering agency in the discharge of the agency's primary responsibility for securing compliance.

The applicant further agrees that it will refrain from entering into any contract or contract modification subject to Executive Order 11246 of September 24, 1965, with a contractor debarred from, or who has not demonstrated eligibility for, Government contracts and federally assisted construction contracts pursuant to the Executive Order and will carry out such sanctions and penalties for violation of the equal opportunity clause as may be imposed upon contractors and subcontractors by the administering agency or the Secretary of Labor pursuant to Part II, Subpart D of the Executive Order. In addition, the applicant agrees that if it fails or refuses to comply with these undertakings, the administering agency may take any or all of the following actions: Cancel, terminate, or suspend in whole or in part this grant (contract, loan, insurance, guarantee); refrain from extending any further assistance to the applicant under the program with respect to which the failure or refund occurred until satisfactory assurance of future compliance has been received from such applicant; and refer the case to the Department of Justice for appropriate legal proceedings.

5. Davis Bacon Act. When required by federal program legislation or local program policies all prime construction contracts in excess of \$2,000.00 awarded by non-Federal entities must include a provision for compliance with the Davis-Bacon Act (40 U.S.C. 3141-3144 and 3146-3148).

The CONTRACTOR agrees to comply with the requirements of the Secretary of Labor in accordance with the Davis-Bacon Act (40 U.S.C. 3141-3148) as amended, with the provisions of Contract Work Hours and Safety Standards Act, the Copeland "Anti-Kickback" Act (40 U.S.C. 276a-276a-5, 40 USC 327 and 40 USC 276c) and all other applicable Federal, state and local laws and regulations pertaining to labor standards in so far as those acts apply to the performance of this contract. In accordance with the statute, contractors must be required to pay wages to laborers and mechanics at a rate not less than the prevailing wages specified in a wage determination made by the Secretary of Labor. In addition, contractors must be required to pay wages not less than once a week. The non-Federal entity must place a copy of the current prevailing wage determination issued by the Department of Labor in each solicitation. The decision to award a contract or subcontract must be conditioned upon the acceptance of the wage determination. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency. The contracts must also include a provision for compliance with the Copeland "Anti-Kickback" Act (40 U.S.C. 3145), as supplemented by Department of Labor regulations (29 CFR Part 3, "Contractors and Subcontractors on Public Building or Public Work Financed in Whole or in Part by Loans or Grants from the United States"). The Act provides that each contractor must be prohibited from inducing, by any means, any person employed in the construction, completion, or repair of public work, to give up any part of the compensation to which he or she is otherwise entitled. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency. The CONTRACTOR shall maintain documentation which

demonstrates compliance with requirements of this part. Such documentation shall be made available to the City-Parish for review upon request.

6. Compliance with the Contract Work Hours and Safety Standards Act (40 U.S.C. 3701-3708). All contracts awarded by the non-Federal entity in excess of \$100,000.00 that involve the employment of mechanics or laborers must include a provision for compliance with 40 U.S.C. 3702 and 3704, as supplemented by Department of Labor regulations (29 CFR Part 5). Any contractor or subcontractor shall insert in any subcontracts the clauses set forth in paragraphs (b), (1) through (4) below along with a clause requiring subcontractors to include these clauses in any lower tier subcontracts.
 - a. Overtime requirements. No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of forty hours in such workweek.
 - b. Violation; liability for unpaid wages; liquidated damages. In the event of any violation of the clause set forth in paragraph (b)(1) of this section the CONTRACTOR and any subcontractor responsible therefor shall be liable for the unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in paragraph (b)(1) of this section, in the sum of \$27 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph (b)(1) of this section.
 - c. Withholding for unpaid wages and liquidated damages. The (write in the name of the Federal agency or the loan or grant recipient) shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by the CONTRACTOR or subcontractor under any such contract or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime contractor, such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph (b)(2) of this section.
 - d. Subcontracts. The CONTRACTOR or subcontractor shall insert in any subcontracts the clauses set forth in paragraph (b)(1) through (4) of this section and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in paragraphs (b)(1) through (4) of this section. The requirements of 40 U.S.C. 3704 are applicable to construction work and provide that no laborer or mechanic must be required to work in surroundings or under working conditions, which are hazardous or dangerous. These requirements do not apply to the purchases of supplies or materials or articles ordinarily available on the open market, or contracts for transportation or transmission of intelligence.

7. Rights to Inventions Made Under a Contract or Agreement. If the Federal award meets the definition of “funding agreement” under 37 CFR § 401.2 (a) and the recipient or sub recipient wishes to enter into a contract with a small business firm or nonprofit organization regarding the substitution of parties, assignment or performance of experimental, developmental, or research work under that “funding agreement,” the recipient or sub recipient must comply with the requirements of 37 CFR Part 401, “Rights to Inventions Made by Nonprofit Organizations and Small Business Firms Under Government Grants, Contracts and Cooperative Agreements,” and any implementing regulations issued by the awarding agency.
8. Clean Water Act/ Federal Water Pollution Control Act. Contracts and sub grants of amounts in excess of \$150,000.00 must contain a provision that requires the non-Federal award to agree to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401-7671q.) and the Federal Water Pollution Control Act as amended (33 U.S.C. 1251-1387). Violations must be reported to the Federal awarding agency and the Regional Office of Environmental Protection Agency (EPA).

The CONTRACTOR hereby agrees to adhere to the provisions, which require compliance with all applicable standards, orders, or requirements issued under Section 508 of the Clean Water Act which prohibits the use under non-exempt Federal contracts, grants or loans of facilities included on the EPA List of Violating Facilities.

- a. The CONTRACTOR agrees to comply with all applicable standards, orders or regulations issued pursuant to the Federal Water Pollution Control Act, as amended, 33 U.S.C. § 7401 et seq.
 - b. If this contract is funded by federal dollars, The CONTRACTOR agrees to report each violation to the State and understands and agrees that the State will, in turn, report each violation as required to assure notification to the CITY-PARISH, and the appropriate Environmental Protection Agency Regional Office.
 - c. If this contract is funded by federal dollars, the CONTRACTOR agrees to include these requirements in each subcontract exceeding \$150,000 financed in whole or in part with federal assistance.
9. Debarment & Suspension. A contract award must not be made to parties listed on the government wide exclusions in the System for Award Management (SAM), in accordance with OMB guidelines at 2 C.F.R. 180. SAM Exclusions contains the names of parties debarred, suspended, or otherwise excluded by agencies, as well as parties declared ineligible under statutory or regulatory authority other than Executive Order 12549.

This contract is a covered transaction for purposes of 2 C.F.R. pt. 180 and 2 C.F.R. pt. 3000. As such, the CONTRACTOR is required to verify that none of the CONTRACTOR's principals (defined at 2 C.F.R. § 180.995) or its affiliates (defined at 2 C.F.R. § 180.905) are excluded (defined at 2 C.F.R. § 180.940) or disqualified (defined at 2 C.F.R. § 180.935).

The CONTRACTOR must comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C, and must include a requirement to comply with these regulations in any lower tier covered transaction it enters into:

This certification is a material representation of fact relied upon by CITY-PARISH. If it is later determined that the CONTRACTOR did not comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C, in addition to remedies available to CITY-PARISH, the Federal Government may pursue available remedies, including but not limited to suspension and/or debarment.

The CONTRACTOR agrees to comply with the requirements of 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C while this offer is valid and throughout the period of any contract that may arise from this offer. The CONTRACTOR further agrees to include a provision requiring such compliance in its lower tier covered transactions.

The CONTRACTOR shall submit a Federal Debarment Certification to assure compliance with the aforementioned regulation.

10. Byrd Anti-Lobbying Act. Contractors that apply or bid for an award exceeding \$100,000.00 must file the required certification under the Byrd Anti-Lobbying Amendment (31 U.S.C. 1352).

The CONTRACTOR will be expected to comply with Federal statutes required in the Anti-Lobbying Act. Contractors who apply or bid for an award shall file the required certification. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any Agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant, or any other award covered by 31 U.S.C. § 1352. Each tier shall also disclose any lobbying with non-Federal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier to tier up to the recipient.

11. Procurement of Recovered Materials (2 C.F.R. 200.322). A non-Federal entity that is a state agency or agency of a political subdivision of a state and its CONTRACTOR must comply with section 6002 of the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act. The requirements of Section 6002 include procuring only items designated in guidelines of the Environmental Protection Agency (EPA) at 40 CFR part 247 that contain the highest percentage of recovered materials practicable, consistent with maintaining a satisfactory level of competition, where the purchase price of the items exceeds \$10,000 or the value of the quantity acquired during the preceding fiscal year exceeded \$10,000; procuring solid waste management services in a manner that maximizes energy and resource recovery; and establishing an affirmative procurement program for procurement of recovered materials identified in the EPA guidelines.
12. Surveillance Services or Equipment. A non-Federal entity and sub recipients who procure telecommunications and video surveillance services or equipment by obligating or expending loan or grant funds must comply with the provisions of 2 C.F.R. §200.216.

Specifically, (a) recipients and sub recipients are prohibited from using grant funds to: (1) Procure or obtain; (2) Extend or renew a contract to procure or obtain; or (3) Enter into a contract (or extend or renew a contract) to procure or obtain equipment, services, or systems that uses covered telecommunications equipment or services as a substantial or essential component of any system, or as critical technology as part of any system. As described in *Public Law 115-232*, section 889, covered telecommunications equipment is telecommunications equipment produced by Huawei Technologies Company or ZTE Corporation (or any subsidiary or affiliate of such entities). (i) For the purpose of public safety, security of government facilities, physical security surveillance of critical infrastructure, and other national security purposes, video surveillance and telecommunications equipment produced by Hytera Communications Corporation, Hangzhou Hikvision Digital Technology Company, or Dahua Technology Company (or any subsidiary or affiliate of such entities). (ii) Telecommunications or video surveillance services provided by such entities or using such equipment. (iii) Telecommunications or video surveillance equipment or services produced or provided by an entity that the Secretary of Defense, in consultation with the Director of the National Intelligence or the Director of the Federal Bureau of Investigation, reasonably believes to be an entity owned or controlled by, or otherwise connected to, the government of a covered foreign country. (b) In implementing the prohibition under *Public Law 115-232*, section 889, subsection (f), paragraph (1), heads of executive agencies administering loan, grant, or subsidy programs shall prioritize available funding and technical support to assist affected businesses, institutions and organizations as is reasonably necessary for those affected entities to transition from covered communications equipment and services, to procure replacement equipment and services, and to ensure that communications service to users and customers is sustained. (c) See *Public Law 115-232*, section 889 for additional information. (d) See also § 200.471.

13. Domestic Preferences for Procurement. As appropriate and to the extent consistent with law, the parties should, to the greatest extent practicable, provide a preference for the purchase,

acquisition, or use of goods, products, or materials produced in the United [States](#) (including but not limited to iron, aluminum, steel, cement, and other manufactured products). The requirements of this section must be included in all [sub awards](#) including all [contracts](#) and purchase orders for work or products under this award.

For purposes of this section: (1) “Produced in the United States” means, for iron and steel products, that all manufacturing processes, from the initial melting stage through the application of coatings, occurred in the United States. (2) “Manufactured products” means items and construction materials composed in whole or in part of non-ferrous metals such as aluminum; plastics and polymer-based products such as polyvinyl chloride pipe; aggregates such as concrete; glass, including optical fiber; and lumber.

Bidders must agree to keep informed of and comply with all federal, state and local laws, ordinances and regulations which affect their employees or prospective employees.

ADDITIONAL REQUIREMENTS FOR THIS BID

The City-Parish, its officers, employees and agents, shall not be responsible for the negligent acts and omissions of the Contractor or the Contractor's officers, employees, agents or subcontractors, nor shall the Contractor or the Contractor's officers, employees or agents be responsible for the negligent acts or omissions of the City - Parish, its officers, employees and agents. Accordingly, Contractor shall indemnify and save City - Parish, its officers, employees and agents, harmless from any and all claims, suits and actions of any character, name or description brought for or on account of any injury or damage to any person or property arising out of the work performed by the Contractor and resulting from the negligence, commission or omission of any act by the Contractor, or Contractor's officers, employees, agents or subcontractors.

If work is to be performed on site, contractor shall furnish proof of insurance as required in the specifications.

Payment terms for services will be **Net 30** days based on the monthly invoice. Agencies will be invoiced monthly in arrears by the contractor. Advanced payments shall not be made.

The City-Parish reserves the right to cancel this contract with thirty (30) days written notice.

Termination for Cause: The City-Parish may terminate this Contract for default by giving the contractor written notice thereof, specifying with particularity each such default. After the first such notice of default, Contractor shall have ten (10) days after receipt of notice to cure or take reasonable steps to cure the default. If the contractor fails to cure or take reasonable steps to cure the default within such ten-day period, the City-Parish may declare this Contract, as appropriate, terminated. In the event of a second notice of default, whether for the same or a different infraction of contractual obligations, the contractor will be given five (5) days to cure the default. If a third notice of default should become necessary, the contract may be terminated upon notification of said default.

Termination for Convenience: The City-Parish may terminate this Agreement at any time by giving thirty (30) days written notice.

Termination for Non-Appropriation Clause: Should the Invitation to Bid result in a multi-year contract, a non-appropriation clause shall be made a part of the contract terms as required by state statutes, allowing the City-Parish to terminate the contract for lack of appropriated funds on the date of the beginning of the first fiscal year for which funds are not appropriated.

All items should be bid, A blank space, Zero, or NA may cause your bid to be deemed non-responsive: Zero (0), N/A or a blank space on the Schedule of Bid Items page may be considered NO BID and may cause your bid to be deemed non-responsive. If your intention is NO CHARGE, or NO BID please write that in the Unit price column.

SDSs SHOULD BE SUBMITTED WITH BID OR WITHIN FIVE (5) DAYS OF REQUEST FROM PURCHASING OFFICE- FAILURE TO PROVIDE WILL DEEM YOUR BID AS NON-RESPONSIVE:

All applicable chemicals, herbicides, pesticides and hazardous materials must be registered for sale in Louisiana by the Department of Agriculture, State of Louisiana, registered with the EPA and must meet all requirements of Louisiana State Laws. Additionally, Contractor must submit product labels, safety data sheets (SDS) (formerly material safety data sheets) and EPA registry number to the agency prior to work commencing. This information will be required on any subsequent deliveries if there is a change in chemical content or a different product is being supplied. Failure to submit this data may be cause to the contract being canceled.

Mandatory Pre-Bid Conference and Mandatory Job Site Visits: Failure to attend pre-bid conference and **ALL** job site visits will cause your bid to be deemed non-responsive.

Cybersecurity Training Requirement: Contractor, including all principals, sub-contractors and employees who require access to City-Parish information technology assets, shall complete the cybersecurity training required by La. R.S. 42:1267 and furnish the City Parish proof of said completion prior to being granted access to said assets.

Ethics: Vendors and service providers are responsible for adhering to the Louisiana Code of Governmental Ethics throughout the duration of this contract. As such, vendors and service providers shall be responsible for determining and ensuring that there will be no conflict or violation of the Louisiana Ethics Code if their company is awarded a contract with the City/Parish.

Force Majeure: In case by reason of force majeure either party hereto shall be rendered unable wholly or in part to carry out its obligations under this Agreement, then except as otherwise expressly provided in this Agreement, if such party shall give notice and full particulars of such force majeure in writing to the other party within a reasonable time after occurrence of the event or cause relied on, the obligations of the party giving such notice (other than the obligations of the Agency to make the payments required under the terms hereof, or to comply with the terms, conditions and requirements of this contract hereof), as far as they are affected by such force majeure, shall be suspended during the continuance of the inability then claimed which shall include a reasonable time for the removal of the effect thereof, but for no longer period, and such party shall endeavor to remove or overcome such inability with all reasonable dispatch. The term "force majeure," as employed herein, shall mean acts of God, strikes, lockouts or other industrial disturbances, acts of the public enemy, orders of any kind of the Government of the United States or of the State or any civil or military authority, insurrections, riots, epidemics, landslides, lightning, earthquakes, fires, hurricanes, storms, floods, washouts, droughts, arrest, restraining of government and people, civil disturbances, explosions, partial or entire failure of utilities, shortages of labor, material, supplies or transportation, or any other similar or different cause not reasonably within the control of the party claiming such inability. It is understood and agreed that the settlement of existing or impending strikes, lockouts, or other industrial disturbances shall be entirely within the discretion of the party having the difficulty and that the above requirements that any force majeure shall be reasonably beyond the control of the party and shall be remedied with all reasonable dispatch shall be deemed to be fulfilled even though such existing or impending strikes, lockouts, and other industrial disturbances may not be settled but could have been settled by acceding to the demands of the opposing person or persons.

The City of Baton Rouge and Parish of East Baton Rouge, Purchasing Division, is offering teleconference and in-person attendance by vendors at public bid openings for bids published by our office.

Any vendor who would like to listen to the opening of this bid can access the following link, at the date and time of this bid opening:

Join by phone

+1-408-418-9388 United States Toll

Access code: 263 373 080 (followed by the # button)

Alternate numbers to call if number above is not available, which may occur due to network traffic (use the same Access Code, followed by the # button):

United States Toll (Boston) +1-617-315-0704

United States Toll (Chicago) +1-312-535-8110

United States Toll (Dallas) +1-469-210-7159

United States Toll (Denver) +1-720-650-7664

United States Toll (Jacksonville) +1-904-900-2303

United States Toll (Los Angeles) +1-213-306-3065

This link will provide you with live audio access to this bid opening. The link will be live at the noted bid opening time and date.

INQUIRY PERIOD

An inquiry period is hereby firmly set for all interested bidders to perform a detailed review of the bid documents and to submit any written questions relative thereto. Without exception, all questions must be in writing and received **by 5:00 p.m. C.S.T. on February 6, 2023.** Inquiries shall not be entertained thereafter. Inquiries are to be directed as follows:

Hand Delivered or by Courier

Tian Clark, Purchasing Analyst
City-Parish Purchasing Department
222 St. Louis Street, Room 826
Baton Rouge, LA 70802

By email: tmclark@brla.gov

The City-Parish shall not and cannot permit an open-ended inquiry period, as this creates an unwarranted delay in the procurement cycle and operations of our departments. The City-Parish reasonably expects and requires *responsible and interested* proposers to conduct their in-depth proposal review and submit inquiries in a timely manner.

An Addendum will be sent out no later than 3 days prior to the deadline for receiving quotes, for all questions submitted in writing by the close of the inquiry period.


PRICING

All items must be bid. If intention is No Charge, please write “No Charge” in the Unit Price column. The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

ITEM	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	Extended Price
0001	AMKUS ION iC750 Large Blade Battery Cutter or Approved Equal	2	EACH	\$_____	\$_____
0002	AMKUS ION iS320 32” Battery Spreader or Approved Equal	2	EACH	\$_____	\$_____
0003	AMKUS ION iTR500 Battery Ram or Approved Equal	2	EACH	\$_____	\$_____
0004	(AMKUS: KS0029-KIT) AMKUS RESCUE SYSTEMS EXTENDED REACH TIPS (ERT) or Approved Equal	2	EACH	\$_____	\$_____
0005	(AMKUS: K-CHAIN 24-30) Quick Adjust Chain Package or Approved Equal	2	EACH	\$_____	\$_____
0006	DEWALT 20V MAX* Charger, 4-Port, Rapid Charge (AMKUS: ICHRG-4FAST) or Approved Equal	2	EACH	\$_____	\$_____
0007	FLEXVOLT® 20V/60V MAX* 12.0 Ah** Battery (AMKUS: IBATTFFV-12) or Approved Equal	12	EACH	\$_____	\$_____
TOTAL					\$_____

SPECIFICATIONS

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

Item No. 0001	AMKUS ION iC750 Large Blade Battery Cutter or Approved Equal	Meets Specification		DEVIATION (if applicable)
		Yes	No	
<div><div></div><div><p>Technical Specifications</p><ul style="list-style-type: none">The vendor shall be responsible for all labor, materials, training, coordination, shipping, transportation and inessentials necessary to deliver battery powered hydraulic cutters and spreaders, on an as needed basis, to be used in rescue extrication in accordance with the specifications listed below for each tool.<p>Battery Powered Hydraulic Cutter Specifications</p><ul style="list-style-type: none">The tool consists of a hydraulically operated piston that symmetrically drives mechanical linkages to open or close two cutter blades. Hydraulic power for the tool is generated internal to the tool via a 4- stage hydraulic pump that is operated by a brushless 2200-watt, 60-volt electric DC motor. The DC motor is powered by a 60-volt (maximum initial voltage) DEWALT® lithium ion battery. Batteries shall be interchangeable between rescue tool and over 200 DEWALT FLEXVOLT™ and 20V Max cordless tools.The tool shall be equipped with two LED lights integrated into the forward handle to facilitate work under low light conditions. The lights shall have 3 intensity levels (low, medium, high). The lights shall be fully isolated from the rescue tool battery and be powered using 2 commonly available AA batteries.The LED lights shall be controlled by a single switch located on the rotating handle.The lights shall be designed to automatically turn off after 15 minutes of inactivity.The forward handle shall rotate 360 degrees to allow the operator to easily reposition the tool during use and to allow the handle to be moved out of the away during use.The cylinder, body and housing of the tool shall be made of aluminum alloy for its lightweight, strength, and durability.The housing that encloses the motor and pump shall not be constructed of plastic or other non-metallic materials due to the inferior durability and heat dissipation properties of these materials.</div></div>				

SPECIFICATIONS

(Continued)

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

Item No. 0001 (Cont.)	AMKUS ION iC750 Large Blade Battery Cutter or Approved Equal	Meets Specification		DEVIATION (if applicable)
		Yes	No	
	<ul style="list-style-type: none"> The tool electric motor shall be a minimum of 2hp to maximize durability during extended use/rescues. The cutter shall automatically turn off after no less than 20 minutes of inactivity. The battery shall be located on the top of the tool between the forward and rear handles for easy installation/removal and to protect the battery during operation. Batteries mounted at rear of tool are unacceptable. The cutter shall include blades that are constructed of solid machined tool steel. Blade linkages shall be covered by rubber guard for safety. The tool shall include the following safety features: Center bolt heads are flush with tool allowing to fit into tight spaces during operation. A pilot check valve to prevent accidental movement of the spreader arms in the event of power loss. A "dead man" actuator, whereby the unit stops functioning when the operator releases hand or thumb pressure from the actuator. A pressure relief valve preventing over pressurization. A pressure port that allows a technician to check the output pressure of the pump during routine maintenance. The maximum nominal operating pressure of the tool shall be 10,500 psi (725 bar). The cutter shall have a maximum opening of no less than 7 inches (178 mm). Cutting classification should be no less than A8/B9/C7/D9/E9/F4 as defined in NFPA 1936:2020. The preferred independent third party for certifying the tools as compliant to NFPA 1936 is Underwriters Laboratory "UL". The tool dimensions with the battery shall not be any longer than 34 inches (864 mm), wider than 9 inches (229 mm) or higher than 12 inches (305 mm). Weight on the tool shall not exceed 55 lbs. (25 kg) excluding battery. 			

SPECIFICATIONS

(Continued)




The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

Item No. 0001 (Cont.)	AMKUS ION iC750 Large Blade Battery Cutter or Approved Equal	Meets Specification		DEVIATION (if applicable)
		Yes	No	
<p><u>Battery and Charger Specifications</u></p> <ul style="list-style-type: none"> The battery shall be a Lithium Ion type battery. Due to availability and versatility over a wide range of tools such as, but not limited to, saws, drills, air compressors, etc. Only non-proprietary battery platforms shall be accepted. The battery shall be readily available at retail stores within 50 miles (80 km) of Fire Department. The nominal electrical voltage supplied by the lithium ion battery shall not be less than 60.0 volt (maximum initial voltage). Though a 12 Ah battery is desired, each of the tools shall be capable of utilizing a DEWALT FLEXVOLT 60 volt 6, 9- or 12-amp hour battery. Using an adapter to enable connection of a DEWALT FLEXVOLT battery to another battery manufacturer's mounting platform is unacceptable. The battery shall have a display to illustrate the level of charge. Combined, the battery and charger shall recharge the battery without causing harm from excess charging. The battery shall have a warranty of no less than 3 years from date of purchase. <p>State Brand and Model Bid:</p> <div style="border-bottom: 1px solid black; height: 10px; margin-top: 10px;"></div>				

SPECIFICATIONS

(Continued)

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

Item No. 0002	AMKUS ION iS320 32" Battery Spreader or Approved Equal	Meets Specification		DEVIATION (if applicable)
		Yes	No	
<div><div></div><div></div><div></div></div> <p>Technical Specifications</p> <p>The vendor shall be responsible for all labor, materials, training, coordination, shipping, transportation and inessentials necessary to deliver battery powered hydraulic cutters and spreaders, on an as needed basis, to be used in rescue extrication in accordance with the specifications listed below for each tool.</p> <p>Battery Powered Hydraulic Spreader Specifications</p> <p>The tool consists of a hydraulically operated piston that symmetrically drives mechanical linkages to open or close two spreader arms. Hydraulic power for the tool is generated internal to the tool via a 4- stage hydraulic pump that is operated by a brushless 2200-watt, 60-volt electric DC motor. The DC motor is powered by a 60-volt (maximum initial voltage) DEWALT® lithium ion battery. Batteries shall be interchangeable between rescue tool and over 200 DEWALT FLEXVOLT™ and 20V Max cordless tools.</p> <ul style="list-style-type: none">• The tool shall be equipped with two LED lights integrated into the forward handle to facilitate work under low light conditions. The lights shall have 3 intensity levels (low, medium, high). The lights shall be fully isolated from the rescue tool battery and be powered using 2 commonly available AA batteries.• The LED lights shall be controlled by a single switch located on the rotating handle.• The lights shall be designed to automatically turn off after 15 minutes of inactivity.• The cylinder, body and housing of the tool shall be made of aluminum alloy for its lightweight, strength, and durability.				

SPECIFICATIONS

(Continued)

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

Item No. 0002 (Cont.)	AMKUS ION iS320 32" Battery Spreader or Approved Equal	Meets Specification		DEVIATION (if applicable)
		Yes	No	
<ul style="list-style-type: none">• The housing that encloses the motor and pump shall not be constructed of plastic or other non-metallic materials due to the inferior durability and heat dissipation properties of these materials.• The tool electric motor shall be a minimum of 2hp to maximize durability during extended use/rescues.• The spreader shall automatically turn off after no less than 20 minutes of inactivity.• The battery shall be located on the top of the tool between the forward and rear handles for easy installation/removal and to protect the battery during operation. Batteries mounted at rear of tool are unacceptable.• The standard tips on the tool shall be stainless steel cast with an aggressive "Gator Grip" pattern that grips sheet metal during operation. The tips shall have beveled edges which prevent sheet metal from tearing during operation. The spreader shall incorporate quick release push-buttons that enable tips to be changed easily.• For increased capability and functionality, the tool shall accept optional Extended Reach Tips which provide an additional 8 inches of spreading distance.• The tool shall also accept a Quick Adjust Chain Kit for pulling operations.• The tool shall include the following safety features:<ul style="list-style-type: none">• A pilot check valve to prevent accidental movement of the spreader arms in the event of power loss.• A "dead man" actuator, whereby the unit stops functioning when the operator releases hand or thumb pressure from the actuator.• A pressure relief valve preventing over pressurization.• A pressure port that allows a technician to check the output pressure of the pump during routine maintenance.• The maximum nominal operating pressure of the tool shall be 10,500 psi (725 bar).• The tool shall have Highest Spreading Force (HSF) of 15,100 lbs. (67.2 kN).				

SPECIFICATIONS

(Continued)


The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

Item No. 0002 (Cont.)	AMKUS ION iS320 32" Battery Spreader or Approved Equal	Meets Specification		DEVIATION (if applicable)
		Yes	No	
<ul style="list-style-type: none">The tool shall have Lowest Spreading Force (LSF) of 10,530 lbs. (46.9 kN).The tool shall have Highest Pulling Force (HPF) of 11,500 lbs. (51.1 kN).The tool shall have Lowest Pulling Force (LPF) of 7,580 lbs. (33.7 kN).The tool shall have a maximum spreading force of 39,500 lbs. (175.7 kN).The tool shall have a maximum spreading distance of 31.9 inches (810 mm).The preferred independent third party for certifying the tools as compliant to NFPA 1936 is Underwriters Laboratory "UL".The tool dimensions with the battery shall not be any longer than 38.1 inches (968 mm), wider than 11.1 inches (282 mm) or higher than 11.6 inches (294 mm).Weight (excluding battery) 54.6 lbs. (25 kg).Weight (ready to use) 57 lbs. (25.5kg).				
<p><u>Battery and Charger Specifications</u></p> <ul style="list-style-type: none">The battery shall be a Lithium Ion type battery.Due to availability and versatility over a wide range of tools such as, but not limited to, saws, drills, air compressors, etc. Only non-proprietary battery platforms shall be accepted.The battery shall be readily available at retail stores within 50 miles (80 km) of Fire Department.The nominal electrical voltage supplied by the lithium ion battery shall not be less than 60.0 volt (maximum initial voltage).Though a 12 Ah battery is desired, each of the tools shall be capable of utilizing a DEWALT FLEXVOLT 60 volt 6, 9- or 12-amp hour battery.Using an adapter to enable connection of a DEWALT FLEXVOLT battery to another battery manufacturer's mounting platform is unacceptable.The battery shall have a display to illustrate the level of charge.Combined, the battery and charger shall recharge the battery without causing harm from excess charging.The battery shall have a warranty of no less than 3 years from date of purchase.				
<p>State Brand and Model Bid:</p> <p>_____</p>				

SPECIFICATIONS

(Continued)

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

Item No. 0003	AMKUS ION iTR500 Battery Ram or Approved Equal	Meets Specification		DEVIATION (if applicable)
		Yes	No	
<div></div>				
<p>Technical Specifications</p> <ul style="list-style-type: none">The vendor shall be responsible for all labor, materials, training, coordination, shipping, transportation and inessentials necessary to deliver battery powered hydraulic cutters, rams, and spreaders, on an as needed basis, to be used in rescue extrication in accordance with the specifications listed below for each tool. <p>Battery Powered Hydraulic Ram Specifications</p> <ul style="list-style-type: none">The tool consists of multi-stage piston and cylinder arrangement that is hydraulically operated. Hydraulic pressure is applied to piston rods to push or spread objects. Hydraulic power for the tool is generated internal to the tool via a 4- stage hydraulic pump that is operated by a brushless 2200-watt, 60-volt electric DC motor. The DC motor is powered by a 60-volt (maximum initial voltage) DEWALT® lithium ion battery. Batteries shall be interchangeable between rescue tool and over 200 DEWALT FLEXVOLT™ and 20V Max cordless tools.The cylinder, body and housing of the tool shall be made of aluminum alloy for its lightweight, strength, and durability.The housing that encloses the motor and pump shall not be constructed of plastic or other non-metallic materials due to the inferior durability and heat dissipation properties of these materials.The tool electric motor shall be a minimum of 2hp to maximize durability during extended use/rescues.The ram shall automatically turn off after no less than 20 minutes of inactivity.The battery shall be located on the top of the tool forward of the "dead man" actuator for easy installation/removal and to protect the battery during operation. Batteries mounted at rear of tool are unacceptable.The tool shall include the following safety features:A pilot check valve to prevent accidental movement of the piston/shaft in the event of power loss.A "dead man" actuator, whereby the unit stops functioning when the operator releases hand or thumb pressure from the actuator.				

SPECIFICATIONS

(Continued)


The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.


Item No. 0003 (Cont.)	AMKUS ION iTR500 Battery Ram or Approved Equal	Meets Specification		DEVIATION (if applicable)
		Yes	No	
	<ul style="list-style-type: none"> • A pressure relief valve preventing over pressurization. • A pressure port that allows a technician to check the output pressure of the pump during routine maintenance. • The telescopic ram shall have a length of no greater than 22 inches (559 mm) when retracted. • The telescopic ram shall have a length of no less than 50 inches (127 cm) when extended (without accessory extensions). • The telescopic ram shall have a Stroke, Piston 1: 15 inches (381 mm). • The telescopic ram shall have a Stroke, Piston 2: 13.5 inches (346 mm). • The telescopic ram shall have a Highest Spreading Force (HSF) Piston 1: 46,500 lbs. (206.0 kN). • The telescopic ram shall have a Lowest Spreading Force (LSF) Piston 2: 21,750 lbs. (96.0 kN). • The maximum nominal operating pressure of the tool shall be 10,500 psi (725 bar). • The preferred independent third party for certifying the tools as compliant to NFPA 1936 is Underwriters Laboratory "UL". • Weight on the tool shall not exceed 55 lbs. (25 kg) excluding battery. <p>Battery and Charger Specifications</p> <ul style="list-style-type: none"> • The battery shall be a Lithium Ion type battery. • Due to availability and versatility over a wide range of tools such as, but not limited to, saws, drills, air compressors, etc. Only non-proprietary battery platforms shall be accepted. • The battery shall be readily available at retail stores within 50 miles (80 km) of Fire Department. • The nominal electrical voltage supplied by the lithium ion battery shall not be less than 60.0 volt (maximum initial voltage). • Though a 12 Ah battery is desired, each of the tools shall be capable of utilizing a DEWALT FLEXVOLT 60 volt 6, 9- or 12-amp hour battery. • Using an adapter to enable connection of a DEWALT FLEXVOLT battery to another battery manufacturer's mounting platform is unacceptable. • The battery shall have a display to illustrate the level of charge. • Combined, the battery and charger shall recharge the battery without causing harm from excess charging. • The battery shall have a warranty of no less than 3 years from date of purchase. <p>State Brand and Model Bid:</p> <p>_____</p>			

SPECIFICATIONS

(Continued)

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.


Item No. 0004	(AMKUS: KS0029-KIT) AMKUS RESCUE SYSTEMS EXTENDED REACH TIPS (ERT) or Approved Equal	Meets Specification		DEVIATION (if applicable)
		Yes	No	
		 <ul style="list-style-type: none"> Increases the spread up to 8" and the unique construction eliminates loss of power Built-In push button release so tips are easy to install or remove-even with gloved hands <p>State Brand and Model Bid:</p> <p>_____</p>		

Item No. 0005	(AMKUS: K-CHAIN 24-30) Quick Adjust Chain Package or Approved Equal	Meets Specification		DEVIATION (if applicable)
		Yes	No	
		 <ul style="list-style-type: none"> Chain Package must have Quick release push button tips with hook Includes 2 seven foot chains <p>State Brand and Model Bid:</p> <p>_____</p>		

SPECIFICATIONS

(Continued)


The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

Item No.	DEWALT 20V MAX* Charger, 4-Port, Rapid Charge (AMKUS: ICHRG-4FAST) or Approved Equal	Meets Specification		DEVIATION (if applicable)
		Yes	No	
0006	 <ul style="list-style-type: none"> • Simultaneous Charger: All ports of the DEWALT 20V battery charger charge at the same time • Charges 12V MAX, 20V MAX, and FLEXVOLT 20V/60V MAX DEWALT Batteries • 8 amps output per port (simultaneously) • Charges (4) DCB204 battery in 40 mins • Charges (4) DCB606 battery in 60 mins • Thru-Hole Wall Mounts • Cord Wraps • ToolConnect Tag Ready • Side Brackets To Mount Onto The ToughSystem Rails <p>State Brand and Model Bid:</p> <p>_____</p>			

SPECIFICATIONS

(Continued)

The brand and model used in this specification is used only to denote the general style, type, character and quality standard of the supplies requested. Please note the brand and model that you are bidding in the designated spaces provided. If bidding other than specified, sufficient information should be enclosed with the bid to in order to determine quality, suitability, compatibility and compliance with the specifications.

Item No. 0007	FLEXVOLT® 20V/60V MAX* 12.0 Ah** Battery (AMKUS: IBATT-FV-12) or Approved Equal)	Meets Specification		DEVIATION (if applicable)
		Yes	No	
<div></div> <ul style="list-style-type: none">The FLEXVOLT® 20V/60V MAX* 12.0 Ah battery provides up to 8X runtime** (**With DCB612 FLEXVOLT® battery when used with DEWALT 20V MAX* tools compared to DCB201 1.5 Ah battery pack.) in 20V MAX* and delivers ultimate power in 60V MAX* and 120V MAX* cordless tools*. It changes voltage when you go from 20V MAX* to 60V MAX* tools. Lithium Ion technology delivers performance in the same size as our 9.0 Ah battery, so it is more powerful in as compact a package as possible. It also includes a built-in LED Fuel Gauge for instant charge status, and is compatible with 20V MAX* tools and chargers. <p>Additional Features</p> <ul style="list-style-type: none">3-LED Fuel Gauge Charge IndicatorOperates in outside temperatures down to 0°F12.0 Ah capacity for maximum runtimeCompatible with 20V MAX*, 60V MAX*, and 120V MAX* toolsCompatible with all 20V MAX* Chargers <p>State Brand and Model Bid:</p> <div></div>				

BIDDER'S ORGANIZATION

BIDDER IS:

AN INDIVIDUAL

Individual's Name: _____

Doing business as: _____

Address: _____

Telephone No.: _____ Fax No.: _____

A PARTNERSHIP

Firm Name: _____

Address: _____

Name of person authorized to sign: _____

Title: _____

Telephone No.: _____ Fax No.: _____

A LIMITED LIABILITY COMPANY

Company Name: _____

Address: _____

Name of person authorized to sign: _____

Title: _____

Telephone No.: _____ Fax No.: _____

A CORPORATION

IF BID IS BY A CORPORATION, THE CORPORATE RESOLUTION SHOULD BE SUBMITTED WITH BID

Corporation Name: _____

Address: _____

State of Incorporation: _____

Name of person authorized to sign: _____

Title: _____

Telephone No.: _____ Fax No.: _____

IF BID IS BY A JOINT VENTURE, ALL PARTIES TO THE BID SHOULD COMPLETE THIS FORM

CORPORATE RESOLUTION

A meeting of the Board of Directors of _____ a _____ corporation organized under the laws of the State of _____ and domiciled in _____ was held this _____ day of _____, 20 ____ and was attended by a quorum of the members of the Board of Directors.

The following resolution was offered, duly seconded and after discussion was unanimously adopted by said quorum:

BE IT RESOLVED, that _____ is hereby authorized to submit proposals and execute agreements on behalf of this corporation with the City of Baton Rouge, and Parish of East Baton Rouge.

BE IT FURTHER RESOLVED, that said authorization and appointment shall remain in full force and effect, unless revoked by resolution of this Board of Directors and that said revocation will not take effect until the Purchasing Director of the Parish of East Baton Rouge, shall have been furnished a copy of said resolution, duly certified.

I, _____, hereby certify that I am the Secretary of _____, a corporation created under the laws of the State of _____ domiciled in _____; that the foregoing is a true and exact copy of a resolution adopted by a quorum of the Board of Directors of said corporation at a meeting legally called and held on the _____ day of _____, 20 ____, as said resolution appears of record in the Official Minutes of the Board of Directors in my possession.

This _____ day of _____, 20 ____.

SECRETARY

CONTRACTOR'S AND SUB CONTRACTOR'S INSURANCE

Contractor and any subcontractor shall carry and maintain at least the minimum insurance as specified below until completion and acceptance of the work. Contractor shall not commence work under this contract until certificates of insurance have been approved by the City-Parish Purchasing Division. Insurance companies listed on certificates must have industry rating of A, Class VI or higher, according to Best's Key Rating Guide. Contractor is responsible for assuring that its subcontractors meet these insurance requirements.

A. General Liability Insurance

General Liability insurance, endorsed to provide coverage for explosion, collapse and underground damage hazards to property of others; Contractual Liability, Products and Completed Operations (for a minimum of two year after acceptance of the Work), **Additional Insured and Waiver of Subrogation in favor of Contractor and Owner.**

	Limits
General Aggregate	\$2,000,000
Products/Completed Operations	\$1,000,000
Personal and Advertising Injury	\$1,000,000
Per Occurrence	\$1,000,000
Damage to Premises Rented to You	\$100,000
Medical Payments	\$5,000

B. Automobile Liability Insurance

Automobile Liability insurance which shall include coverage for all owned, non-owned and hired and shall be endorsed to include a Waiver of Subrogation and Additional Insured in favor of Contractor and Owner. Bodily Injury and

Property Damage \$1,000,000 Combined Single Limit Each Occurrence (Minimum)

C. Worker Compensation and Employers Liability Insurance

Subcontractor agrees to comply with Workers Compensation laws of the state where the Work is performed, and to maintain a Workers Compensation and Employers Liability policy. **The policy shall include a Waiver of Subrogation endorsement in favor of the Contractor and Owner. Full statutory liability for State of Louisiana with Employer's Liability Coverage.**

Workers Compensation	Statutory
Employer's Liability	\$1,000,000 Each Accident (Minimum)
	\$1,000,000 Disease Each Employee

D. Excess Umbrella Liability Coverage

Excess/Umbrella Liability insurance shall be follow form the primary coverages and shall be endorsed to include a Waiver of Subrogation and Additional Insured in favor of Contractor and Owner.

Bodily Injury and
Property Damage \$1,000,000 Combined Single Limit Each Occurrence (Minimum)

E The City of Baton Rouge and Parish of East Baton Rouge must be named as additional insured on all general liability policies described above.

F. Waiver of subrogation in favor of City of Baton Rouge and Parish of East Baton Rouge, is required from Workers Compensation Insurer.

G. Certificates must provide for thirty (30) days written notice to Certificate Holder prior to cancellation or change.

H. The Certificate Holder should be shown as:

**City of Baton Rouge and Parish of East Baton Rouge
Attn: Purchasing Division
222 St. Louis Street
8th Floor Room 826
Baton Rouge, LA 70802**

Revised 11-22